

National Accreditation Board for Hospitals & Healthcare Providers

(Constituent Board of Quality Council of India)

CERTIFICATE OF ACCREDITATION

Sadhu Vaswani Mission's Medical Complex

7-9, Koregaon Park
Pune - 411001, Maharashtra

has been assessed and found to comply with NABH Accreditation Standards for Hospitals, 5th Edition. This certificate is valid for the Scope as specified in the annexure subject to continued compliance with the accreditation requirements.

Date of first Accreditation: Decemeber 01, 2021


Date of Previous Cycle

Decemeber 01, 2021 to November 30, 2024

Valid from : Decemeber 01, 2024

Valid thru : November 30, 2028

Total Number of Sanctioned Beds: 430



Certificate No.
H-2021-0880

Dr. Atul Mohan Kochhar
Chief Executive Officer

National Accreditation Board for Hospitals & Healthcare Providers, 5th Floor, ITPI Building, 4A, Ring Road, IP Estate, New Delhi 110 002, India
Phone: +91-11-42600600, Fax: +91-11-2332 3415 • Email: helpdesk@nabh.co • Website: www.nabh.co




SI No. 021572



NABH and the NABH Accreditation Standards for Hospitals are ISQua Accredited
To verify the authenticity of certificate, reach us on verification@nabh.co

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/L.S.I

No:- Format1.0/CAC/UAN No.MPCB-
CONSENT-0000234351/CO/2504001879

Date:
16/04/2025

To,
M/s Sadhu Vaswani Mission's Medical Complex
[Earlier Known as Inlaks & Budhrani Hospital],
7-9, Koregaon Park, Pune
Tal: Haveli, Dist:-Pune
Email: svmmcpune@gmail.com
Contact No.:7447442926



Your Service is Our Duty

Grant of Combined 1st Consent to Operate and BMW Authorization with amalgamation of existing (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:
1. Board's combined consent & BMW authorization vide No. Format1.0/CAC/UAN No. 94749/CR/2112000150, dated 02.12.2021, valid up to 31.08.2025
 2. Board's consent to establish for blood bank vide No. Format1.0/CAC/UAN No. 164230/CE/2311000367, dated 05.11.2023
 3. Your application for Combine Consent and Bio-Medical Authorization dated 30.01.2025
 4. The minutes of Consent Appraisal Committee meeting dated 13.03.2025.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization with amalgamation of existing CCA to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-04-2021** To **31-08-2027**
2. The capital investment of the HCF is **₹8451.29** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area HCF Area : - Plot Area 13763.25 M² with Built-up area 19452.61 M².
4. **Activities Included**
 - a. Total Number of Beds : **430 Nos.** (As per BNH certificate no. LCBP050601333 valid upto 31-03-2027)
 - I. General Beds : **349 Nos**
 - II. ICCU/ICU Beds : **51 Nos**
 - III. Oncology Beds : **30 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 275 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	5.1 Used or spent oil	5.1	180	Ltr/A	Sale to CPCB /MPCB Authorized recycler.

8. Conditions about Non Hazardous Wastes:-

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Wet Garbage	2600	Kg/M	OWC	Used as manure
2	Dry Garbage	80	Kg/Day	Drying	Recycle or hand over to local body
3	STP Sludge	21	Kg/Day	Drying	Use as manure

9. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

10. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Passco Environmental Solution Pvt.Ltd., Pune** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.

3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
11. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
12. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
13. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
14. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
15. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
16. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
17. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
18. You shall submit the bank guarantee of INR 2.25 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Pune within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice
19. HCE shall comply EIA Notifications, 2006 and its further amendments.
20. HCE authority shall properly operate STP & ETP to achieve the consented norms.
21. HCE shall not increase the beds without obtaining combine consent to establish for expansion from the Board.
22. HCE has submitted letter to this office stating that they will withdraw an appeal made to the Hon'ble Appellate Authority Env. Dept. GoM on 3.12.2024 against Refusal of CCA dtd. 20.10.2024
23. The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening.

24. This CCA is issued in pursuance of an Architect certificate dtd. 10.03.2025 stating that construction of project carried out as per the plans sanctioned by local planning authority (PMC) prior to EIA Notification dtd.07/07/2004. No change in building footprint, no of floors and height of building since the applicability of EIA Notifications and confirmed that there is no applicability of prior Environmental Clearance for the said project as per EIA Notification, 2004
25. The industry / HCE shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Avinash

f2e2eff2
9c63b2fc
5515f204
07a70b95
f4b055fd
a97966f9
3e647171
cfea3796

Signed by: Dr. Avinash Dhakne
Member Secretary
For and on behalf of
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2025-04-16 23:21:26 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	200000.00	MPCB-DR-31763	29/01/2025	RTGS
2	10000.00	MPCB-DR-31807	30/01/2025	NEFT
3	400000.00	MPCB-DR-32699	13/03/2025	NEFT
4	96640.00	TXN2504002273	09/04/2025	Online Payment

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune I
- They are directed to verify the compliance time to time and submit compliance report.
SRO - Pune - I is directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Annexure - I**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	225.00
3.	Pathology Laboratory, Floor washing, Operation Theater	50.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	210	As per clause 'C'	60% Treated effluent shall be recycled for flushing and other secondary purposes and remaining shall be used on land for gardening
2	Trade effluent	14	As per clause 'C'	On land for gardening

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG Set (500 KVA)X 2 Nos	HSD	100.00 Lit/Day	5.00
2	DG Set (400 KVA)X2 Nos	HSD	80.00 Lit/Day	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	45.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Passco Environmental Solution Pvt.Ltd., Pune Pune
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	2800.00		
		d) Expired or Discarded Medicines	52.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	2100.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	151.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	2827.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Passco Environmental Solution Pvt.Ltd., Pune Pune
3	White (Translucent)	Waste sharps including Metals	421.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Passco Environmental Solution Pvt.Ltd., Pune Pune
4	Blue	a) Glassware	900.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Passco Environmental Solution Pvt.Ltd., Pune Pune
		b) Metallic body implants	379.00		

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Passco Environmental Solution Pvt.Ltd., Pune** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	25,000.00
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	25,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	50,000.00
2	To obtain membership of CHWTSDF for disposal of ETP sludge	Continuous	25,000.00
Total			2,25,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



मुद्रांकित (२०२४ ते २०२७)

मुद्रांकित. ४७६ (१०० पानी १० पुलके) ७-२२

११२२२४

आरोग्य/अन्न व परवाना

पुणे महानगरपालिका

PUNE MUNICIPAL CORPORATION

सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अँक्टच्या कलम ५ अन्वये दिलेले
रजिस्ट्रेशन सर्टिफिकेट

Certificate of Registration under section 5 of the Bombay Nursing Homes
Registration Act, 1949

(नियम ५ अन्वये) (Under Rule 5)

3507

क्रमांक No. :

दि. बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अँक्ट, १९४९ अन्वये श्री. / श्रीमती श्री. दिलिप

गोपवानी

यांचे साखू वासवानी मिरान मेडिकल कॉम्प्लेक्स
U-९ कोरेगाव पार्क पुणे-९ येथील नर्सिंग होम / मॅटर्निटी होम रजिस्टर केले
असून सदरचे नर्सिंग होम व मॅटर्निटी होम चालविण्यास परवाना देण्यात येत आहे.

This is to certify that Shri. / Shrimati

has been registered under the Bombay Nursing Homes Registration Act, 1949 in respect of

..... situated at

and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. : LCBP-0506-01333
Registration No. :

प्रसूतीसाठी
Maternity

२४

कॉट्स
Cots

रजिस्ट्रेशन दि. : ११/१२/२०२४
Date of Registration : ३१/३/२०२७

इतर रुग्णांसाठी
Other Nursing Patients

४०६

कॉट्स
Cots

ठिकाण Place : पुणे

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate

सदरचे सर्टिफिकेट दिनांक ३१ मार्च २०२७ पर्यंत कार्यवाहीत राहील.

This Certificate shall be valid up to 31 st March

(डॉ. मनिषा विजोद भाईक)

सहाय्यक आरोग्य अधिकारी, पुणे महानगरपालिका.
Asstt. Medical Officer of Health, Pune Municipal Corporation.

डॉ. भगवान पवार

आरोग्य अधिकारी

आरोग्य अधिकारी, पुणे महानगरपालिका.
Medical Officer of Health, Pune Municipal Corporation.



**PUNE MUNICIPAL CORPORATION
HEALTH DEPARTMENT**

**PRE-CONCEPTION AND PRE-NATAL DIAGNOSTIC TECHNIQUES
(PROHIBITION OF SEX SELECTION) ACT, 1994 AND PC-PNDT RULES**

877


FORM B

CERTIFICATE OF REGISTRATION (RENEWAL)

- In exercise of the power conferred under Rules 8(2) of PC-PNDT Rules, 1996 as amended from time to time, the Assistant Medical Officer Of Health Cum Appropriate Authority, PC-PNDT Act, Pune Municipal Corporation Hereby renews/grants registration to the Genetic Counselling Centre*/ Genetic Laboratory*/ Genetic Clinic*/ Ultrasound Clinic*/ Imaging Centre* named below for the purposes of carrying out Genetic Counselling/ Pre-natal Diagnostic Procedures*/ Pre-natal Diagnostic Tests/ Ultrasonography under the PC-PNDT Act/ Rules for the period of five years ending on 31/01/2027.....
- This registration is granted subject to the aforesaid Act and Rules there under and any contravention thereof shall result in suspension or cancellation of this Certificate of Registration before the expiry said period of five years apart from prosecution.
 - Name and Address of Genetic Counselling Centre*/ Genetic Laboratory*/ Genetic Clinic*/ Ultrasound Clinic*/ Imaging Centre* Sadhu Vaswani Mission's Medical complex, Inlaks & Budhrani Hospital, M.N.B Cancer Institute, K.K. Eye Institute, F.B. Heart Institute, 7-9 Koregam Park, Pune 411001. *Cancelled*
 - Pre-natal diagnostic procedures* Name of Applicant - Shri. Sunder Motiram Vaswani
approved for Genetic Clinic Mr. Dilip Hariram Hopwani
Non- Invasive Ultrasound

Invasive	<input checked="" type="checkbox"/> (i) Amniocentesis	<input checked="" type="checkbox"/> (v) Foetal skin or organ biopsy	<input checked="" type="checkbox"/> (18) Wipro GE Discovery IQ Gen 2 PET, CT
	<input checked="" type="checkbox"/> (ii) Chorionic villi biopsy	<input checked="" type="checkbox"/> (vi) Cordocentesis	<input checked="" type="checkbox"/> (17) WIPROGE VIVID S98M
	<input type="checkbox"/> (iii) Foetoscopy	<input type="checkbox"/> (vii) Any Other (specify)	<input checked="" type="checkbox"/> (16) WIPROGE VIVIPTS
 - Pre-natal Diagnostic Tests* approved for Genetic Laboratory Cancer


(i) Chromosomal studies	(ii) Biochemical studies	(iii) Molecular studies	<input checked="" type="checkbox"/> (15) WIPROGE VOLUSON E8
-------------------------	--------------------------	-------------------------	---
 - Any other purpose (please specify) (13) Philips Affinis 50 (14) Wipro GE vivid IQ 4D
- Model and make of equipments being used (any change is to be intimated to the Appropriate Authority *Cancelled* U/R 13) (1) Philips HD 5 (2) Wipro GE logia 57R3 (3) Wipro GE Versana Active (4) Sonosite S. Nerve (5) flex focus 200 (6) Clarity System 310 COD (7) Philips IE33 (8) Wipro GE vivid SC (9) Wipro GE vivid.i (10) Ophthalmic B Scan DGH 8000 (11) Wipro GE Signa Pioneer (MR1) (12) Wipro GE Revolution (13) Philips Affinis 50 (14) Wipro GE vivid IQ 4D (15) WIPROGE VOLUSON E8 (16) WIPROGE VIVIPTS (17) WIPROGE VIVID S98M (18) Wipro GE Discovery IQ Gen 2 PET, CT




Dr. Kalpna Baliwani
 Assistant Medical Officer of Health Cum
 The Assistant Medical Officer
 Of Health (I) cum Appropriate
 Authority, PC-PNDT Act
 Pune Municipal Corporation
 Pune Municipal Corporation

Date & Seal: 877/2017
 Period of Validity of Certificate of Registration From 01/02/2022 To 31/01/2027
 *Strike out whichever is not applicable or not necessary
 * DO NOT LAMINATE THE CERTIFICATE.
 DISPLAY ONE COPY OF THIS CERTIFICATE AT A CONSPICUOUS PLACE AT THE PLACE OF BUSINESS.


दि. 21/03/2022 जे प्रा. संपुष्कित प्राधिकारी
यांचे मान्यतेने Philips Affinis 50 या
सोनोग्राफी मशीनची नोंद केली आहे.


Assistant Medical Officer of Health Cum
Appropriate Authority
PCPNDT ACT
Pune Municipal Corporation


दि. 11/10/2023 रोजीचे मान्यतेने रजिस्ट्रेशन
सर्टिफिकेटवर Philips HD5 या USG मशीनची
नोंद रद्द करण्यात येत आहे.


Assistant Medical Officer of Health Cum
Appropriate Authority
PCPNDT ACT
Pune Municipal Corporation


दि. 30/09/2024 रोजीच्या मान्यतेने, रजिस्ट्रेशन
सर्टिफिकेटवर ① Amniocentesis ② Chorionic
③ Villi Biopsy ④ Cordocentesis या
जाण सुविधांची नोंद करण्यात येत आहे.


Assistant Medical Officer of Health Cum
Appropriate Authority
PCPNDT ACT
Pune Municipal Corporation


दि. 98/08/2024 रोजीच्या मान्यतेने मुळ
① प्रमाणपत्रावर ② WIPROGEVOLUSON E8
③ WIPROGEVIVIDT8 ④ WIPROGEVIVIDSTON
या USG मशीनची नोंद करण्यात येत आहे.


Dr. Kalpana Balliwant
Appropriate Authority
PCPNDT Act and Deputy Medical
Officer of Health
Pune Municipal Corporation

दि. 03/01/2023 रोजीचे मान्यतेने रजिस्ट्रेशन
सर्टिफिकेटवर, Wipro GE Vivid IQ 4D या USG ची
मशीनची नोंद करण्यात येत आहे.



Assistant Medical Officer of Health Cum
Appropriate Authority
PCPNDT ACT
Pune Municipal Corporation

दि. 07/12/2023 रोजीचे मान्यतेने, रजिस्ट्रेशन
सर्टिफिकेटवर, अर्जदार म्हणून Mr. Dilip Hariram Gopwani
यांचे नावाची नोंद करण्यात येत आहे.



Assistant Medical Officer of Health Cum
Appropriate Authority
PCPNDT ACT
Pune Municipal Corporation

दि. 11/06/2024 रोजीचे मान्यतेने रजिस्ट्रेशन

सर्टिफिकेटवर Philip IE33 या USG मशीनची
नोंद रद्द करण्यात येत आहे.


Dr. Kalpana Balliwant
Appropriate Authority
PCPNDT Act and Deputy Medical
Officer of Health
Pune Municipal Corporation

दि. 31/9/2024 रोजीचे मान्यतेने रजिस्ट्रेशन सर्टिफिकेटवर
Wipro GE, Discovery IQ Gen2 या PET CT ची
नोंद करण्यात येत आहे.


Dr. Kalpana Balliwant
Appropriate Authority
PCPNDT Act and Deputy Medical
Officer of Health
Pune Municipal Corporation

STATISTICS OF DELIVERIES CONDUCTED FROM JAN TO DEC 2025

MONTH	NORMAL	LCSC	TOTAL
Jan-25	6	11	17
Feb-25	8	13	21
Mar-25	7	9	16
Apr-25	9	14	23
May-25	5	12	17
Jun-25	4	8	12
Jul-25	4	9	13
Aug-25	6	5	11
Sep-25	5	10	15
Oct-25	4	11	15
Nov-25	7	13	20
Dec-25	3	9	12
TOTAL	68	124	192